

# SPP & COMMERCIAL PRODUCT SUMMARY



## Package Gas/Electric Units (3 Phase)

Model Series	Rated Capacity Cooling Btuh Range	Voltages	Cooling			Heating		
			SEER	EER	IPLV	Input (Mbtuh) Std.		Efficiency Std. Steady State AFUE
						Stage 2	Stage 1	
PGX336-60 <sup>1</sup>	34,600 to 57,000	208/230 & 460	13.0 to 13.5	10.0 to 10.2	N/A	N/A	60,000 to 140,000	78.1 to 79.6
PGF336-54 <sup>1</sup>	35,000 to 53,000	208/230 & 460	13.2	9.8 to 11.3	N/A	N/A	60,000 to 140,000	78.5 to 80.0
GPF090	91,000	208/230 & 460 & 575	N/A	9.0	N/A	N/A	160,000	81
PGS072-300	72,000 to 268,000	208/230 & 460 & 575	N/A	8.5 to 9.0	8.5 to 9.5	74,000 to 360,000	74,000 to 270,000	80.0 to 81.0
PGE072-300 <sup>2</sup>	72,000 to 278,000	208/230 & 460 & 575	N/A	9.5 to 10.1	9.5 to 10.4	150,000 to 360,000	74,000 to 275,000	80.0 to 81.0
PGH072-300 <sup>1</sup>	36,000 to 278,000	208/230 & 460 & 575	13.0 (3 to 5)	10.8 to 11.6	10.9 to 12.0	72,000 to 400,000	50,000 to 317,000	80.0 to 82.0

## Package Air Conditioning Units (3 Phase)

Model Series	Rated Capacity Cooling Btuh Range	Voltages	Cooling			Electric Heat Nominal Capacity
			SEER	EER	IPLV	
PAX336-60 <sup>1</sup>	34,600 to 57,000	208/230 & 460	13.0 to 13.5	10.0 to 10.2	N/A	10.0 kW to 20 kW
PAF336-54 <sup>1</sup>	35,000 to 53,000	208/230 & 460	13.2	9.8 to 11.3	N/A	10.0 kW to 20 kW
APF090	91,000	208/230 & 460 & 575	N/A	9.0	N/A	10.0 kW to 30 kW
PAS072-300	72,000 to 268,000	208/230 & 460 & 575	N/A	8.6 to 9.0	8.4 to 9.8	4.9kW to 80.0kW
PAE072-300 <sup>2</sup>	71,000 to 278,000	208/230 & 460 & 575	N/A	9.7 to 10.3	9.9 to 10.5	4.9kW to 80.0kW
PAH072-300 <sup>1</sup>	36,000 to 278,000	208/230 & 460 & 575	13.0 (3 to 5)	10.0 to 11.8	10.9 to 12.0	4.9kW to 75.0kW

NOTES: Btuh range is the smallest and the largest Btuh available in a model series.



## Package Heat Pump Units (3 Phase)

Model Series	Rated Capacity Cooling Btuh Range	Voltages	Cooling			Heating		
			SEER	EER	IPLV	Rated Capacity Heating Btuh Range	HSPF	Electric Heat Nominal Btuh
PHX336-60 <sup>1</sup>	34,600 to 57,000	208/230 & 460	13.0 to 13.5	10.0 to 10.2	N/A	34,000 to 55,000	7.7	10.0 kW to 20 kW
PHF336-48 <sup>1</sup>	35,000 to 44,500	208/230 & 460	13.2	10.2 to 11.0	N/A	35,000 to 44,000	7.7	10.0 kW to 20 kW
PHS072-120	70,000 to 110,000	208/230 & 460 & 575	N/A	8.9 to 9.0	8.9 to 9.2	72,000 to 103,000	N/A	4.9kW to 51.0kW
PHH072-180 <sup>1</sup>	35,600 to 172,000	208/230 & 460	13.0 (3 to 5)	9.3 to 10.5	9.7 to 12.4	34,800 to 172,000	N/A	4.9kW to 55.0kW

<sup>1</sup> Energy Star  
<sup>2</sup> Ashrae 90.1 Compliant




A Chassis (SPP)  
3 to 5 Ton



C Chassis (SPP)  
3 to 5 Ton



RTU  
3 to 6 Ton



RTU  
7-1/2 to 12-1/2 Ton



15 to 25 Ton

401 14 1804 00

10/15/08

Split Condensers, 3 to 5 Ton (3 Phase)

Model Series	Nominal Capacity Cooling Btuh Range	Voltages	SEER
HC4A336-60 <sup>1</sup>	36,000 to 60,000	208/230 & 460	13.0 to 14.5
H2A336-60 <sup>1</sup>	36,000 to 60,000	208/230 & 460	13.0
H4A336-60 <sup>1</sup>	36,000 to 60,000	208/230 & 460	13.0
N2A336-60 <sup>1</sup>	36,000 to 60,000	208/230 & 460 & 575	13.0



Entry  
3 to 5 Ton Split



Mainline  
3 to 5 Ton Split

Split Condensers, 6-1/3 to 20 Ton (3 Phase)

Model Series	Rated Capacity Cooling Btuh Range	Voltages	EER
CAE075-090	75,000 to 89,000	208/230 & 460 & 575	9.9 to 10.3
CAE091-120 <sup>2</sup>	90,000 to 123,000	208/230 & 460 & 575	10.3 to 10.6
ACC120	115,000	208/230 & 460 & 575	8.6
CAE150-240 <sup>2</sup>	83,500 to 246,000	208/230 & 460 & 575	9.5-10.6

Split Heat Pumps, 3 to 5 Ton (3 Phase)

Model Series	Cooling Btuh Range	Voltages	SEER	Heating Btuh Range	HSPF
HC4H336-60 <sup>1</sup>	36,000 to 60,000	208/230 & 460	13.0 to 14.5	23,400 to 57,500	7.7 to 8.5
H2H336-60 <sup>1</sup>	34,800 to 58,500	208/230 & 460	13.0	36,000 to 60,000	7.6 to 8.6
H4H336-60 <sup>1</sup>	36,000 to 65,000	208/230 & 460	13.0	36,000 to 60,000	7.7 to 8.6
N2H336-60 <sup>1</sup>	34,600 to 56,000	208/230 & 460	13.0	34,000 to 56,000	7.7 to 8.2

Split Heat Pumps, 6-1/3 to 15 Ton (3 Phase)

Model Series	Cooling Btuh	Voltages	EER	Heating Btuh	COP
CHE075-90	72,000 to 87,000	208/230 & 460 & 575	10.0 to 10.1	68,000 to 76,000	3.0
CHE072-120 <sup>2</sup>	80,000 to 105,000	208/230 & 460	10.1 to 10.5	74,000 to 100,000	3.1 to 3.2
CHS180	174,000	208/230 & 460	9.0	172,000	3.1

<sup>1</sup> Energy Star

<sup>2</sup> Ashrae 90.1 Compliant

"A" Chassis	"Large" Chassis	
37-1/2 x 47-1/2 x 47-1/2	41-5/16 x 57-3/4 x 87-3/8	45 x 86-1/8 x 87-3/8
PGF3 3 - 3.5 Ton	PGE 7.5 - 8.5 Ton	PGH155 - 180
PAF3, PHF3 3 - 5 Ton	PAE 7.5 - 12.5 Ton	PAH155 - 180
37-1/2 x 47-1/2 x 51	P*S 7.5 Ton	PGS180 - 210
PGF3 4 - 5 Ton	P*H 7.5 Ton	PAS180 - 210
"B" Chassis	49-15/16 x 57-3/4 x 87-3/8	47-1/4 x 86-1/8 x 83-1/2
32-1/2 x 47-5/16 x 47-5/16	PGE 10 - 12.5 Ton	PGS 25 Ton
P*X3 3 Ton	P*H 8.5 - 10 Ton	PAS 25 Ton
"C" Chassis	PGS 10 - 12-1/2 Ton	52-1/4 x 86-1/8 x 120-1/4
36 x 47-5/16 x 73	PAS 10 - 12-1/2 Ton	PGE 25 Ton
P*X3 3.5 - 5 Ton	PHS 10 Ton	PAE 25 Ton
APF/GPF 7.5 Ton	45 x 86-1/8 x 91-1/4	58-1/8 x 86-1/8 x 169-1/4
"D" Chassis	PGE 15 - 18 Ton	PGH 18 - 20 Ton
33-5/16 x 45 x 73-11/16	PAE 15 - 20 Ton	PAH 18 - 20 Ton
P*S / P*E 6 Ton	PHH 13 - 15 Ton	70-1/8 x 86-1/8 x 169-1/4
41-5/16 x 45 x 73-11/16	47-1/4 x 86-1/8 x 87-3/8	PGH 25 Ton
P*H 6 Ton	PGS 20 Ton	PAH 25 Ton
	PAS 20 Ton	*
	47 x 86-1/8 x 91-1/4	G = Gas/Electric A = Air Conditioner H = Heat Pump
	PGE 20 Ton	



Horizontal Condenser  
3 to 5 Ton Split



6-1/3 to 10 Ton Split



7-1/2 & 10  
Ton Split



12-1/2 to 20 Ton Split